



---


**INNOVATION NOT DUPLICATION**

# TRASERSCREEN DB-40

Vibrating screener



ENGINEERING



**Powerful semi-mobile  
vibrating screener**



info@dbengineering.sk



www.dbe.sk



+421 32 744 3828



Brnianska 2346, 911 05 Trenčín

quick change of meshes  
of sizes from 0,2mm to 120mm

Mobility  
the transport consoles are included

Screen box on 8 steel springs

Screen box  
meshes made of high-quality spring steel

Mobility  
4 lifting points at  
an ideal angle


Mobility  
built-in tilting transport  
consoles for backhoe  
loader or forklift

Frame  
high-strength steel construction  
ensures maximum stability

2117mm

1520mm

2420mm



## Screening

- » Width x length: 1500 x 1450mm
- » Screening area: 2,18m<sup>2</sup>
- » Number of decks: 1
- » Number of fractions: 2
- » Number of meshes: 2 (745 x 1465mm)
- » Hopper width: 2139mm
- » Offtake width: 2140mm



## Optional upgrades

- » Lifting chains
- » Minimum requirement for the generator (5,5 kVA)



## Power

- » 0,75kW



## Weight

- » 950kg



## Transport method

- » Trailer



## Screening

- » 15 ~ 48 t/h