



CR - CRE SERIES

ADVANCED DATA SHEET

DETAILS

Model Name

CR - CRE Series

Model Title

3-23 Ton Excavator Hydraulic Shear With Rotation

Category

Shears

Type

Stick

Brand

CMB

Description

CR series shears are project to cut and recycle all ferrous materials such as profiles, pipes, tanks, railway wagons, aircraft, etc. CR shears are recognized for their reliability and high productivity, both by users in recycling yards and demolition sites.

PROCESSED MATERIALS

- Metal
- Concrete

RECOMMENDED USE

Best For	Scrap metal
Good For	Removing rebar from concrete
Not Built For	Sizing or demolition

KEY SPECIFICATIONS

Carrier Weight	3 - 23 tons
Operating Weight	1110 - 3530 lb

OTHER SPECIFICATIONS

Excavator Oil Flow Rate	70 - 200 l / min
Excavator Working Pressure	3625 - 5075 psi
Jaw Size	14" - 18"
Mobility	Partially Mobile

FEATURES

- Robust frame in Hardox
- Reversible blades
- 360 degree continuous hydraulic rotation
- Adjustable rotation speed
- Reinforced rotating motor
- Mobile jaw with double guides
- Anti wear plate on the frontal fixed jaw
- Speed Valve

ADD-ONS

DESCRIPTION

FAQ