



E2+

ADVANCED DATA SHEET

DETAILS

Model Name e2+

Model Title 3'3" X 9'10" Tracked Trommel Screener

Category Screeners

Type Trommel

Brand Gremac

Description

The Gremac E2+ trommel is specially designed to suit the demands of construction and landscaping professionals, this robust machine excels in processing a wide variety of materials, including excavated soil, stones, rubble, and other screenable materials with efficiency. Featuring a 9.5' long drum, the Gremac E2+ sets the industry standard for throughput capacity, managing up to an impressive 110 ton/h. Its modular design and easily exchangeable screen media provide unbeatable flexibility to adapt precisely to your project requirements. Paired with powerful electric motors and an intuitive control panel, achieving remarkable screening results has never been simpler or more reliable. Durability and convenience are at the core of the Gremac E2+, with a frame and all structural parts constructed from galvanized steel, ensuring a long operational life—even under the harshest conditions. An optional petrol or diesel generator set offers autonomous operation, while the electronic load-sensing control guarantees a continuous workflow, reducing unnecessary interruptions. Easy to transport and environmentally conscious, the E2+ redefines what it means to screen effectively and sustainably.

PROCESSED MATERIALS

- Compost
- Concrete
- Demolition Waste
- Gravel
- Rock
- Sand
- Soil
- Stone
- Topsoil

RECOMMENDED USE

Best For Medium-capacity screening of compost, soil, and construction materials

Good For Concrete screening, fines, sand, compost, wood chips, gravel, softer rock

Not Built For Large quantities or hard, oversized materials such as rocks

Best Loader Medium excavator or skid steer loader

KEY SPECIFICATIONS

Ton per hour	Up to 110 tph
Power Source	380 - 420 V / CEE-16A
Size Out	Down to 1/16"

OTHER SPECIFICATIONS

Size In	Up to 10"
Drum Size	9'10" x 3'3"
Transport Size (L x W x H)	22'7" x 6'7" x 9'3"
Engine Power	Electric
Feed Height	6'3"
Stockpile Height	3'3"
Operating Weight	9920 lbs
Mobility	Tracked
Engine Type	Electric
Working Size (L x W x H)	28'7" x 12'9" x 9'3"

FEATURES

- Electronic load-sensing control for a continuous workflow
- Up to 110 tph screening capacity
- Frame and all structural parts are galvanised steel for a long machine life
- Electric drive, available with petrol or diesel generator set (optional)
- Make the product you want with custom, easy to change screens