



# EZERO

## ADVANCED DATA SHEET

**DETAILS**

**Model Name**

eZero

**Model Title**

3'3" X 6'7" Static Electric Powered Trommel

**Category**

Screeners

**Type**

Trommel

**Brand**

Gremac

**Description**

The Gremac eZero trommel is an efficient and powerful screening powerhouse that's as kind to the earth as it is robust in performance. Equipped with an electric drive, this screener weighs just 1.5 tons, making it easy to move, load, and set up. It also features an integrated forklift mount for hassle-free transportation. Tailor your project needs with its easy-change screens and continuously optimize your workflow with electronic load-sensing control. Construction companies, waste management professionals, and landscapers can all benefit from the adjustable support feet and powerful SEW-gearred motors that handle a diverse range of materials — from excavated soil and stone to rubble — with a remarkable screening capacity of up to 75 tph. If sustainability and productivity are the cornerstones of your business, the eZero trommel is perfect for you!

**PROCESSED MATERIALS**

- Compost
- Concrete
- Gravel
- Sand
- Soil
- Stone
- Topsoil

**RECOMMENDED USE**

<b>Best For</b>	Screening soil, compost, and light demolition waste
<b>Good For</b>	Screening medium quantities of small sized concrete, aggregates, stone and rubble
<b>Not Built For</b>	Large quantities or hard, oversized materials such as rocks
<b>Best Loader</b>	Medium excavator or skid steer loader

**KEY SPECIFICATIONS**

<b>Ton per hour</b>	Up to 75 tph
<b>Power Source</b>	380 - 420 V / CEE-16A
<b>Size Out</b>	Down to 1/16"

**OTHER SPECIFICATIONS**

<b>Size In</b>	10"
<b>Drum Size</b>	6'7" X 3'3"
<b>Transport Size (L x W x H)</b>	15'5" x 6'4" x 5'
<b>Engine Power</b>	Electric
<b>Feed Height</b>	8'5"
<b>Stockpile Height</b>	4'9"
<b>Operating Weight</b>	3306 lbs
<b>Mobility</b>	Static
<b>Engine Type</b>	Electric
<b>Working Size (L x W x H)</b>	15'5" x 8'2" x 9'8"

## FEATURES

- Electric drive for increased fuel efficiency
- Galvanized hopper for improved strength and durability
- Easy loading and set up, integrated forklift mounts
- Electronic load sensing control for continuous workflow
- Up to 75 tons per hour
- Easy to change screens allows you to make the exact product you need
- Choice of screen media