



R2440

ADVANCED DATA SHEET





| DETAILS | |
|-------------|--|
| Model Name | R2440 |
| Model Title | 24" x 40' Radial Stacker |
| Category | Conveyors |
| Туре | Radial |
| Brand | Portable Stackers |
| Description | The 24" x 40' radial conveyor from Portable Stackers is perfect for stockpiling everything from soil and mulch to concrete and rock. This American-made conveyor is made to last, and it can stockpile at up to 200 tph! The radial design allows you to stockpile your material in large 13 ft high banks without having to move your crusher or screener. This unit comes with a static platform, that can be hooked up to a trailer hitch to move around your site. |

PROCESSED MATERIALS

- Demolition Waste
- Gravel
- Sand
- Soil
- Waste
- Wood

DATA SHEET

R2440



| RECOMMENDED USE | |
|-----------------|--|
| Best For | Slightly larger projects than the R2430, offering increased capacity and stockpile height. |
| Good For | Versatile use in various industries, including construction, recycling, and material handling. |
| Not Built For | Extremely heavy or bulky materials that require industrial-grade stackers. |
| Best Loader | Crusher, screener or skid steer |

| KEY SPECIFICATIONS | |
|--------------------|----------|
| Ton per hour | 200 TPH |
| Stockpile Height | 13' 4" |
| Engine Type | Electric |



| OTHER SPECIFICATIONS | |
|----------------------|--------------------------|
| Engine Power | 7.5 hp TEFC 230/460 volt |
| Feed Height | 48" |
| Belt Size | 40' × 24" |
| Operating Weight | 9000 |
| Mobility | Semi-mobile |

FEATURES

- 7.5 hp TEFC Electric Motor 1800 RPM at 230/460 volt (60hz)
- 2 years warranty for motors and drives
- Heavy Duty Undercarriage with 8x8 Tubing Axle and 16" Tires & Rims
- Extra resistant 2-ply belt with operating tension of 220 Pounds per Inch of Width (PIW)
- 24" Deep Truss, 2x2x1/4 Cord Angle, 11/2x11/2x3/16 Lattice
- 48" Load Zone w/Skirt Rubber, Pintail Tow Hook, Tail Guard
- Pioneer, 5" x 35 deg CEMA C Top Rollers on 48" Centers
- Self assembly required (instructions provided)

DATA SHEET

R2440



| ADD-ONS | DESCRIPTION |
|--------------------|--|
| Power Traveller | The power traveler makes it possible for the stacker to move without the need to be pushed |
| Custom paint color | Grey by default. Pick any color, we will paint it. |
| Add Catwalks | It is possible to add a catwalk so that users can walk on the conveyor. |
| Hydraulic motors | It is possible to replace electric motors with an hydraulic set up. |





| FAQ | |
|--|---|
| Is assembly included in the purchase and how is it carried out? | Assembly is required for the conveyor. |
| How is shipping managed and is it included in the final price? | While shipping is not included in the final price, Machinery Partner will handle all shipping logistics. They will calculate shipping costs based on your location and preferred delivery method. |
| Can I track the shipping progress of my order through Machinery Partner? | Once your conveyor is shipped, Machinery Partner will furnish you with a tracking number. This will grant you access to real-time shipping updates, including location and estimated delivery date. |
| Can I get a custom length conveyor made? | Yes! Our conveyors are made in the United States and we are able to make custom- size conveyors based on your needs. Just call us today and we can give you a price! |
| How are these machines powered? | The stacker comes with a 7 hp TEFC 230/460 volt motor that will need to be powered by a genset. |
| Can these stackers be moved? | These stackers are semi-static as they have a radial design that moves around a stationary anchor point. If you want to move your stacker it can be easily hitched onto a machine and transported. |
| Where are these machines made? | They are manufactured right here in the United States! |