





J-2716

ADVANCED DATA SHEET

sales@machinerypartner.com

J-2716



DETAILS

Model Name	J-2716
Model Title	27" × 16" Compact Tracked Jaw Crusher
Category	Crushers
Туре	Jaw
Brand	ARK
Description	The ARK J-2716 is designed for operators that need a versatile and mobile jaw crusher. It is small enough to fit inside a 40 ft container for transport but strong enough to crush everything from asphalt to virgin stone & concrete. This crusher features a pair of 27" × 16" single toggle jaws that can be adjusted hydraulically down to 3/4" so that you can make base and fill for all your projects. The ARK 2716 comes with a feed sensor, or "magic eye" above the jaw box which is used to start and stop the vibrating feeder to prevent blockages and keep the machine running at maximum efficiency. This crusher also comes with an overband magnet to remove metal like rebar from your crushed product.

PROCESSED MATERIALS

- Concrete
- Gravel
- Demolition Waste
- Asphalt
- Brick
- Cement

J-2716



RECOMMENDED USE

Best For	Medium production concrete recycling
Good For	Crushing well sized medium-harder rocks like river rock, granite, gravel
Not Built For	Crushing very hard rocks like travertine or basalt
Best Loader	Mid-Large excavator

KEY SPECIFICATIONS	
Size Out (Close Side Setting)	3/4" - 3-1/4"
Size In (Gape)	12" - 18"
Max ton per hour	Up to 90 tph
Engine Power	74 hp
Operating Weight	26,450 lbs

J-2716



OTHER SPECIFICATIONS

Jaw Size	27" × 16"
Mobility	Full Mobile
Max Rock Size In	18"
Stockpile Height	5.9'
Transport Size (L x W x H)	18'4" × 7'3" × 8'2"
Working Size (L x W x H)	28'7" × 7'3" × 8'9"
Fuel Consumption	2.7 gal/h
Engine Type	Doosan Tier 4 Final

FEATURES

- Reverse jaw function for sticky applications / clearing blockages
- Maneuverable and easy to transport
- Hydraulically adjustable jaw setting
- Direct drive crusher
- Compact size
- Chamber level 'magic eye' sensor to prevent blockages
- Easy & intuitive buttons operations
- Access platform
- Quick set-up time